

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim	DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
Balcony HL	1	37		Disco Ball special	ETC	Source-4	10°	77V, 750			-50' 0"	0' 0"	14' 0"
Balcony HL	2	37	137	Green Glass	ETC	Source-4	26°	77V, 550	Green Glass		-50' 0"	0' 0"	14' 0"
Balcony HL	3	38		Fire warmer	ETC	Source-4	26°	77V, 550	Fire		-50' 0"	0' 0"	14' 0"
Balcony HL	4	38	138	Paisley warmer	ETC	Source-4	26°	77V, 550	Paisley		-50' 0"	0' 0"	14' 0"
Balcony C	1	39		Fox Logo gobo	ETC	Source-4	10°	77V, 750	Fox Logo		-50' 0"	0' 0"	14' 0"
Balcony C	2	39	139	IR par	ETC	PAR 64 MFL	26°	77V, 550 IR			-50' 0"	0' 0"	14' 0"
Balcony C	3	40		Special	ETC	Source-4	26°	77V, 550			-50' 0"	0' 0"	14' 0"
Balcony C	4	40	140	Special	ETC	Source-4	26°	77V, 550			-50' 0"	0' 0"	14' 0"
Balcony C	5	41		Special	ETC	Source-4	26°	77V, 550			-50' 0"	0' 0"	14' 0"
Balcony C	6	41	141	Special	ETC	Source-4	26°	77V, 550			-50' 0"	0' 0"	14' 0"
Balcony C	7	42		Special	ETC	Source-4	26°	77V, 550			-50' 0"	0' 0"	14' 0"
Balcony C	8	42	142	Special	ETC	Source-4	10°	77V, 750			-50' 0"	0' 0"	14' 0"
Balcony HR	1	38	138	Paisley warmer	ETC	Source-4	26°	77V, 550	Paisley		-50' 0"	0' 0"	14' 0"
Balcony HR	2	38		Fire warmer	ETC	Source-4	26°	77V, 550	Fire		-50' 0"	0' 0"	14' 0"
Balcony HR	3	37	137	Green Glass	ETC	Source-4	26°	77V, 550	Green Glass		-50' 0"	0' 0"	14' 0"
Balcony HR	4	37		Disco Ball special	ETC	Source-4	10°	77V, 750			-50' 0"	0' 0"	14' 0"

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim	DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
2 nd AP Boom HL	1	30		DSR Wash, Cool	ETC	Source-4	36°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HL	2	29		DSR Wash, Warm	ETC	Source-4	36°	750	R33		0' 0"	0' 0"	0' 0"
2 nd AP Boom HL	3	28		DSC Wash, Cool	ETC	Source-4	26°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HL	4	27		DSC Wash, Warm	ETC	Source-4	26°	750	R33		0' 0"	0' 0"	0' 0"
2 nd AP Boom HL	5	26		DSL Wash, Cool	ETC	Source-4	19°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HL	6	25		DSL Wash, Warm	ETC	Source-4	19°	750	R33		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	1	26		DSL Wash, Cool	ETC	Source-4	36°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	2	25		DSL Wash, Warm	ETC	Source-4	36°	750	R33		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	3	28		DSC Wash, Cool	ETC	Source-4	26°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	4	27		DSL Wash, Warm	ETC	Source-4	26°	750	R33		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	5	30		DSR Wash, Cool	ETC	Source-4	19°	750	L161		0' 0"	0' 0"	0' 0"
2 nd AP Boom HR	6	29		DSR Wash, Warm	ETC	Source-4	19°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	1	36		USR Wash, Cool	ETC	Source-4	36°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	2	35		USR Wash, Warm	ETC	Source-4	36°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	3	34		USC Wash, Cool	ETC	Source-4	26°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	4	33		USC Wash, Warm	ETC	Source-4	26°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	5	32		USL Wash, Cool	ETC	Source-4	19°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HL	6	31		USL Wash, Warm	ETC	Source-4	19°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	1	32		USL Wash, Cool	ETC	Source-4	36°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	2	31		USL Wash, Warm	ETC	Source-4	36°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	3	34		USC Wash, Cool	ETC	Source-4	26°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	4	33		USC Wash, Warm	ETC	Source-4	26°	750	R33		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	5	36		USR Wash, Cool	ETC	Source-4	19°	750	L161		0' 0"	0' 0"	0' 0"
1 st AP Boom HR	6	35		USR Wash, Warm	ETC	Source-4	19°	750	R33		0' 0"	0' 0"	0' 0"

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
2 nd AP Elec. Bot.	1		201 wash	Vari-lite	VL 2500	n/a	700			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Bot.	2	19	261 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	-16' 4"	0' 0"
2 nd AP Elec. Bot.	3	20	288 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	-12' 5"	0' 0"
2 nd AP Elec. Bot.	4		216 wash	Vari-lite	VL 2500	n/a	700			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Bot.	5	21	315 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	-3' 5"	0' 0"
2 nd AP Elec. Bot.	6	22	342 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	2' 7"	0' 0"
2 nd AP Elec. Bot.	7		231 wash	Vari-lite	VL 2500	n/a	700			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Bot.	8	23	369 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	11' 7"	0' 0"
2 nd AP Elec. Bot.	9	24	396 spot	Vari-lite	VL 1000 TS	n/a	1000			0' 0"	15' 8"	0' 0"
2 nd AP Elec. Bot.	10		246 wash	Vari-lite	VL 2500	n/a	700			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	1	18	Pit Wash, SL	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	2	17	Pit Wash, CSL	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	3	16	Pit Wash, UC	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	4	15	Pit Wash, C	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	5	14	Pit Wash, CSR	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
2 nd AP Elec. Top	6	13	Pit Wash, SR	ETC	Source-4	26°	750			0' 0"	0' 0"	0' 0"
1 st AP Electric	1	7	Leaf Stage B/U	ETC	Source-4	26°	750	R16		0' 0"	0' 0"	0' 0"
1 st AP Electric	2	1	Leaf Stage B/U	ETC	Source-4	26°	750	R16		0' 0"	0' 0"	0' 0"
1 st AP Electric	3	6	Special	ETC	Source-4	19°	750			0' 0"	-9' 0"	0' 0"
1 st AP Electric	4	5	Special	ETC	Source-4	19°	750			0' 0"	-7' 0"	0' 0"
1 st AP Electric	5	4	Special	ETC	Source-4	19°	750			0' 0"	-5' 0"	0' 0"
1 st AP Electric	6	3	Special	ETC	Source-4	19°	750			0' 0"	-3' 0"	0' 0"
1 st AP Electric	7	2	Special	ETC	Source-4	19°	750			0' 0"	-1' 0"	0' 0"
1 st AP Electric	8	12	Special	ETC	Source-4	19°	750			0' 0"	1' 0"	0' 0"
1 st AP Electric	9	11	Special	ETC	Source-4	19°	750			0' 0"	3' 0"	0' 0"
1 st AP Electric	10	10	Special	ETC	Source-4	19°	750			0' 0"	5' 0"	0' 0"
1 st AP Electric	11	9	Special	ETC	Source-4	19°	750			0' 0"	7' 0"	0' 0"
1 st AP Electric	12	8	Special	ETC	Source-4	19°	750			0' 0"	9' 0"	0' 0"
1 st AP Electric	13	1	Leaf Stage B/U	ETC	Source-4	26°	750	R16		0' 0"	0' 0"	0' 0"
1 st AP Electric	14	7	Leaf Stage B/U	ETC	Source-4	26°	750	R16		0' 0"	0' 0"	0' 0"

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
1 st Electric	1	43	High Side DSR	ETC	Source-4	36°	750	R16	breakup	5' 0"	-16' 0"	23' 6"
1 st Electric	2	44	High Side DSR	ETC	Source-4	26°	750	R16	breakup	5' 0"	-14' 0"	23' 6"
1 st Electric	3	45	Special	ETC	Source-4	19°	750			5' 0"	-9' 0"	23' 6"
1 st Electric	4	46	Special	ETC	Source-4	19°	750			5' 0"	-6' 0"	23' 6"
1 st Electric	5	47	Special	ETC	Source-4	26°	750			5' 0"	-3' 0"	23' 6"
1 st Electric	6	48	Special	ETC	Source-4	19°	750			5' 0"	0' 0"	23' 6"
1 st Electric	7	49	Special	ETC	Source-4	26°	750			5' 0"	3' 0"	23' 6"
1 st Electric	8	50	Special	ETC	Source-4	19°	750			5' 0"	6' 0"	23' 6"
1 st Electric	9	51	Special	ETC	Source-4	19°	750			5' 0"	9' 0"	23' 6"
1 st Electric	10	52	High Side DSL	ETC	Source-4	26°	750	R16	breakup	5' 0"	14' 0"	23' 6"
1 st Electric	11	53	High Side DSL	ETC	Source-4	36°	750	R16	breakup	5' 0"	16' 0"	23' 6"
1 st Electric	-	54	spare									
2 nd Electric	1	56	High Side USR	ETC	Source-4	36°	750	R16	breakup	9' 0"	-16' 0"	23' 0"
2 nd Electric	2	55	High Side USR	ETC	Source-4	26°	750	R16	breakup	9' 0"	-14' 0"	23' 0"
2 nd Electric	3	61	Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		9' 0"	-9' 3"	23' 0"
2 nd Electric	4	62	Par, Red	Procan	PAR 64 MFL	wide	1000	R26		9' 0"	-8' 6"	23' 0"
2 nd Electric	5	63	Par, Green	Procan	PAR 64 MFL	wide	1000	R395		9' 0"	-7' 9"	23' 0"
2 nd Electric	6	64	Par, Blue	Procan	PAR 64 MFL	wide	1000	R79		9' 0"	-5' 0"	23' 0"
2 nd Electric	7	65	Par, Amber	Procan	PAR 64 MFL	wide	1000	L158		9' 0"	-4' 3"	23' 0"
2 nd Electric	8	66	Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		9' 0"	-3' 6"	23' 0"
2 nd Electric	9	66	Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		9' 0"	2' 6"	23' 0"
2 nd Electric	10	65	Par, Amber	Procan	PAR 64 MFL	wide	1000	L158		9' 0"	3' 9"	23' 0"
2 nd Electric	11	64	Par, Blue	Procan	PAR 64 MFL	wide	1000	R79		9' 0"	5' 0"	23' 0"
2 nd Electric	12	63	Par, Green	Procan	PAR 64 MFL	wide	1000	R395		9' 0"	6' 3"	23' 0"
2 nd Electric	13	62	Par, Red	Procan	PAR 64 MFL	wide	1000	R26		9' 0"	7' 6"	23' 0"
2 nd Electric	14	61	Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		9' 0"	8' 9"	23' 0"
2 nd Electric	15	60	High Side USL	ETC	Source-4	26°	750	R16	breakup	9' 0"	14' 0"	23' 0"
2 nd Electric	16	59	High Side USL	ETC	Source-4	36°	750	R16	breakup	9' 0"	16' 0"	23' 0"

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim	DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
3 rd Electric	1	67		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	-15' 3"	23' 0"
3 rd Electric	2	68		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	-14' 6"	23' 0"
3 rd Electric	3	69		Par, Green	Procan	PAR 64 MFL	wide	1000	R395		13' 0"	-13' 9"	23' 0"
3 rd Electric	4	70		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	-11' 0"	23' 0"
3 rd Electric	5	71		Par, Amber	Procan	PAR 64 MFL	wide	1000	R22		13' 0"	-10' 3"	23' 0"
3 rd Electric	6	72		Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		13' 0"	-9' 6"	23' 0"
3 rd Electric	7	73		Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		13' 0"	-8' 9"	23' 0"
3 rd Electric	8	74		Par, Amber	Procan	PAR 64 MFL	wide	1000	R22		13' 0"	-6' 0"	23' 0"
3 rd Electric	9	75		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	-5' 3"	23' 0"
3 rd Electric	10	76		Par, Green	Procan	PAR 64 MFL	wide	1000	R395		13' 0"	-4' 6"	23' 0"
3 rd Electric	11	77		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	-3' 9"	23' 0"
3 rd Electric	12	78		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	-1' 0"	23' 0"
3 rd Electric	13	78		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	1' 0"	23' 0"
3 rd Electric	14	77		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	2' 3"	23' 0"
3 rd Electric	15	76		Par, Green	Procan	PAR 64 MFL	wide	1000	R395		13' 0"	3' 6"	23' 0"
3 rd Electric	16	75		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	4' 9"	23' 0"
3 rd Electric	17	74		Par, Amber	Procan	PAR 64 MFL	wide	1000	R22		13' 0"	6' 0"	23' 0"
3 rd Electric	18	73		Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		13' 0"	7' 3"	23' 0"
3 rd Electric	19	72		Par, Lav	Procan	PAR 64 MFL	wide	1000	R58		13' 0"	8' 6"	23' 0"
3 rd Electric	20	71		Par, Amber	Procan	PAR 64 MFL	wide	1000	R22		13' 0"	9' 9"	23' 0"
3 rd Electric	21	70		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	11' 0"	23' 0"
3 rd Electric	22	69		Par, Green	Procan	PAR 64 MFL	wide	1000	R395		13' 0"	12' 3"	23' 0"
3 rd Electric	23	68		Par, Red	Procan	PAR 64 MFL	wide	1000	R26		13' 0"	13' 6"	23' 0"
3 rd Electric	24	67		Par, Blue	Procan	PAR 64 MFL	wide	1000	R68		13' 0"	14' 9"	23' 0"

Fox Tucson Theatre Instrument Schedule

Inst. Location	U#	Dim DMX	Purpose	Mfg.	Inst	Angle	Wattage	Color	Gobo	US/DS	L/R	H
4 th Elec. (cyc)	1	79	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	-17' 11"	24' 0"
4 th Elec. (cyc)	2	80	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	-15' 5"	24' 0"
4 th Elec. (cyc)	3	81	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	-14' 11"	24' 0"
4 th Elec. (cyc)	4	79	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	-12' 5"	24' 0"
4 th Elec. (cyc)	5	80	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	-11' 11"	24' 0"
4 th Elec. (cyc)	6	81	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	-9' 5"	24' 0"
4 th Elec. (cyc)	7	82	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	-8' 11"	24' 0"
4 th Elec. (cyc)	8	83	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	-6' 5"	24' 0"
4 th Elec. (cyc)	9	84	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	-5' 11"	24' 0"
4 th Elec. (cyc)	10	82	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	-3' 5"	24' 0"
4 th Elec. (cyc)	11	83	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	-2' 11"	24' 0"
4 th Elec. (cyc)	12	84	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	0' 7"	24' 0"
4 th Elec. (cyc)	13	85	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	0' 7"	24' 0"
4 th Elec. (cyc)	14	86	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	2' 3"	24' 0"
4 th Elec. (cyc)	15	87	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	3' 11"	24' 0"
4 th Elec. (cyc)	16	88	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	5' 7"	24' 0"
4 th Elec. (cyc)	17	89	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	7' 3"	24' 0"
4 th Elec. (cyc)	18	90	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	8' 11"	24' 0"
4 th Elec. (cyc)	19	85	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	10' 7"	24' 0"
4 th Elec. (cyc)	20	86	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	12' 3"	24' 0"
4 th Elec. (cyc)	21	87	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	13' 11"	24' 0"
4 th Elec. (cyc)	22	88	Cyc Green	ETC	Source-4 Parnel	n/a	750	R126		17' 0"	15' 7"	24' 0"
4 th Elec. (cyc)	23	89	Cyc Blue	ETC	Source-4 Parnel	n/a	750	R125		17' 0"	17' 3"	24' 0"
4 th Elec. (cyc)	24	90	Cyc Red	ETC	Source-4 Parnel	n/a	750	R124		17' 0"	18' 11"	24' 0"

